

WALKER®



2017/2018 UNIVERSAL PARTS CATALOGUE

VISIT OUR
NEW ONLINE CATALOGUE:
www.walkercatalogue.eu



EMEA
EUROPE, MIDDLE EAST, AFRICA

TENNECO
www.walker-eu.com

WALKER[®]

EVOLUTION DPF

THE RIGHT SOLUTIONS
FROM AN OE LEADER



**FULLY
HOMOLOGATED**

DIESEL PARTICULATE FILTERS
AVAILABLE FOR THE AFTERMARKET



» **MASTERING**
CLEAN AIR TECHNOLOGY »



VISIT OUR
NEW ONLINE CATALOGUE:
www.walkercatalogue.eu



WALKER
DPF EVO S



WALKER
DPF EVO C



TENNECO
www.walker-eu.com

STOCK CODE	p. 1
Code de stock Lagerschlüssel Magazijn-codes	
ACCESSORIES	p. 1
Accessoires Zubehörteile Accessoires	
MOUNTING COMPONENTS	p. 1
Pièces de Montage Montageteile Montage Onderdelen	
NAMES AND NUMBERS	p. 2
Designations et References Bezeichnung und Nummern Namen en Nummers	
NOTES	p. 2
Notes Hinweis Aantekeningen	
UNIVERSAL ACCESSORIES	p. 3
Accessoires Universels Universelle Zubehörteile Universele Accessoires	
M8 UNIVERSAL	p. 3
Colliers M8 Universal Universeel	
M10 UNIVERSAL	p. 4
Colliers M10 Universal Universeel	
CLAMPS	p. 4
Colliers Schellen Klemmen	
LAP JOINT CLAMP	p. 5
VOLVO/RENAULT - CLAMP	p. 6
Colliers / Schellen / Klemmen	
VAG CLAMPS	p. 7
Colliers Schellen Klemmen	
CLAMPS (1/2 Clamps, Ring clamp, Ring Clamp w/ Gasket)	p. 8
Colliers Schellen Klemmen	
SPECIAL BOLTS	p. 9
Vis Spéciales Spezial Schrauben Speciale Bouten	
CONNECTION PIPES	p. 11
Manchons Rohrverbinder Pijpverbinders	
VAG TYPE	p. 11
WITHOUT CLAMPS	p. 12
U-CLAMPS M10	p. 12
VAG CLAMPS	p. 13
LENGTH 20 CM	p. 14
Turbulures de Raccordement 20 cm Rohrverlängerungen 20 cm Verlengstukken 20 cm	
ALUMINISED 3-STEP REDUCTION PIPE	p. 14
ALUMINISED UNIVERSAL Y-PIPE	p. 14

ALUMINIZED EXHAUST BENDS WITHOUT SLOTS	p. 15
Raccords Coudés Rohrbogen Lasbochten	
ANGLE 30°	p. 15
ANGLE 45°	p. 15
ANGLE 60°	p. 16
ANGLE 90°	p. 17
ALUMINIZED EXHAUST BENDS WITH SLOTS	p. 18
Raccords Coudés Rohrbogen Lasbochten	
ANGLE 30°	p. 18
ANGLE 45°	p. 18
ANGLE 60°	p. 19
ANGLE 90°	p. 19
ALUMINISED OVER AXLE BEND	p. 20
ALUMINISED EXHAUST BENDS 90° FOR WELDING	p. 20
STRAIGHT TUBING 2 METERS	p. 21
Raccords Coudés Rohrbogen Lasbochten	
ALUMINISED	p. 21
MILD STEEL	p. 22
FLEXIBLE TUBING	p. 23
CIRCULAR PROFILE GALVANISED	p. 23
POLYGONAL PROFILE GALVANISED 1000 mm	p. 24
POLYGONAL PROFILE GALVANISED 2000 mm	p. 25
PIPE EXTENSIONS	p. 26
Tubes d'Extension Rohrverlängerungen Verlengstukken	
REDUCING BUSHING	p. 27
Raccords de Réduction Rohrreduzierungen Reduceerbussen	
WITHOUT SLOTS	p. 27
WITH SLOTS	p. 27
WITH SLOTS FROM BOTH SIDES	p. 28
FLEX PIPES	p. 29
Tubes Flexibles Flexrohre Flexibele Pijpen	
FLEX WITH PIPES	p. 29
FLEX 3-STEP PIPES - NON LINED	p. 29
FLEX WITHOUT PIPES	p. 30
FLEX WITH PIPES AND SLOTS - NON LINED	p. 31
INSULATOR BLOCKS	p. 32
HOSE CLIPS STAINLESS STEEL	p. 33

TABLE OF CONTENT

Table des matieres | Inhalt | Inhoud

UNIVERSAL CATALYTIC CONVERTER	p. 34
UNIVERSAL CATALYTIC CONVERTER ROUND	p. 34
UNIVERSAL CATALYTIC CONVERTER OVAL	p. 35
MINI-CONVERTER	p. 36
UNIVERSAL SILENCER	p. 37
UNIVERSAL SILENCER ROUND	p. 37
UNIVERSAL SILENCER ROUND WITH SLOTS	p. 37
UNIVERSAL SILENCER OVAL	p. 38
UNIVERSAL SILENCER OVAL WITH SLOTS	p. 38
HIGH PERFORMANCE TURBO MUFFLERS	p. 39
INLET CENTRAL	p. 39
INLET SIDE	p. 39
UNIVERSAL STAINLESS STEEL TAILPIPE ROUND	p. 40
VW STAINLESS STEEL TAILPIPE ROUND WITH CHROMED EXTERNAL SURFACE	p. 41
UNIVERSAL STAINLESS STEEL TAILPIPE ROUND WITH ANGLE	p. 42
UNIVERSAL REPAIR COLLARS	p. 43
UNIVERSAL REPAIR COLLARS	p. 43
REPAIR FLANGE	p. 44
REPAIR HANGER	p. 47
UNIVERSAL HANGER	p. 49
PSA BODY CLAMPS	p. 50
LAMBDA SENSOR PLUG	p. 54
LAMBDA SENSOR NIPPLE	p. 55
PIPE-END SHAPER	p. 56

STOCK CODE

Code de Stock | Lagerschlüssel | Magazijn-codes

GB

The **stock code** aids customers in efficient stock handling. These codes are independent of the serial number. The following numerical codes are used on the exhaust system labels and in the catalogue illustrations.

F

Le **code de stock** aide les clients dans leur utilisation efficace de l'espace et de la manipulation de stock. Ces codes sont indépendants du numéro de série. Le code numéro suivant figure sur l'étiquette et dans les illustrations du catalogue.

D

Die **zweistelligen Lagerschlüssel** ermöglichen dem Kunden eine raumsparende, rationelle Lagerhaltung. Sie sind unabhängig von der Artikel-Nummer. Die nachstehend aufgeführten numerischen Schlüssel-Nummern sind auf den Teile-Etiketten und auch bei den Katalog Abbildungen angegeben.

NL

De **magazijn-codes** maken het mogelijk ruimtebesparend en efficiënt gebruik te maken van de opslagruimten bij de voorraad behandeling. Deze codes staan onafhankelijk van het serienummer. De achterste codes staan zowel op het uitlaatsysteem etiket als in de illustraties Text in de catalogus vermeld.

ACCESSORIES

Accessoires | Zubehörteile | Accessoirs

GB		F		D		NL	
Accessories and miscellaneous		Accessoires et divers		Zubehörteile und diverses		Accessoires en diversen	
Code		Code		Schlüssel		Code	
71	Pipe under 20 cm	71	Tubes de moins de 20 cm	71	Rohre unter 20 cm	71	Pijpen korter dan 20 cm
78	Pieces of racking assembly	78	Eléments de stockage	78	Regalsystem-Teile	78	Rekkensysteem
85	Chemical products (Eolys, AdBlue, paste & putty)	85	Produits chimiques (Eolys, Additifs, pâtes à joint et mastics)	85	Chemikalien (Eolys, Additive, Paste & Kitt)	85	Chemische producten (Eolys, Toevoegingen, Montage pasta en afdicht pasta)

MOUNTING COMPONENTS

Pièces de Montage | Montageteile | Montage Onderdelen

GB		F		D		NL	
Mounting components		Pièces de montage		Montagegeteil		Montage onderdelen	
Code		Code		Schlüssel		Code	
23	Hangers	23	Supports	23	Aufhängeteile	23	Hangers
24	Clamps	24	Colliers de serrage	24	Schellen	24	Klemmen
25	Bolts	25	Vis	25	Bolzen	25	Bouten
26	Miscellaneous mountings	26	Accessoires de montage divers	26	Verschiedene Zubehörteile	26	Diverse montageonderdelen
27	Connection pipes	27	Manchons	27	Rohrverbinder	27	Pijpverbinder
28	Tools	28	Outils	28	Werkzeuge	28	Gereedschappen

NAMES AND NUMBERS Designations et References | Bezeichnung und Nummern | Namen en Nummers

GB

Every effort has been made to ensure the information in this catalogue is correct, but we cannot be responsible for any losses arising from errors or omissions. This catalogue supersedes all previous editions.

F

Nous avons rédigé ce catalogue avec le plus grand soin, mais en fonction de l'évolution très rapide des modèles, nous ne pourrions en aucun cas être tenus responsables de toutes erreurs ou omissions. Ce catalogue remplace toutes les éditions précédentes.

D

Die Informationen in diesem Katalog wurden so korrekt wie möglich erstellt. Für Nachteile, die aus Fehlern oder Auslassungen entstehen können wir jedoch nicht verantwortlich zeichnen. Alle früheren Ausgaben werden durch diesen Katalog ersetzt.

NL

Alle mogelijke inspanningen werden gedaan om te verzekeren dat de informatie in deze catalogus correct is. Toch kunnen wij niet aansprakelijk gesteld worden voor fouten noch gebrekkige informatie. Deze catalogus vervangt alle vorige edities.

NOTES

Notes | Hinweis | Aantekeningen

GB

© 2013-2014 COPYRIGHT WALKER EUROPE INC. Catalogue, illustrations and numbers are not to be reproduced, in whole or in part. Walker reserves the right to modify or discontinue the components illustrated in this catalogue. Car maker names and numbers are used for reference purposes only.

F

© 2013-2014 COPYRIGHT WALKER EUROPE INC. La reproduction totale ou partielle du catalogue, des illustrations et des références est interdite. T.A.E. Inc. se réserve le droit de modifier ou de ne pas reproduire la fabrication des pièces figurant dans ce catalogue. Les marques de voitures et les références d'origine sont indiquées à titre de comparaison seulement.

D

© 2013-2014 COPYRIGHT WALKER EUROPE INC. Vervielfältigungen des Katalogs, der Abbildungen oder Nummern - auch auszugsweise - sind nicht gestattet. Änderungen oder Einstellung der Produktion bestimmter Teile behalten wir uns vor. Original Teile - Nummern dienen nur als Vergleich, sie dürfen nicht in Rechnungen und Angeboten verwendet werden.


NL

© 2013-2014 COPYRIGHT WALKER EUROPE INC. Nadruk van deze catalogus of gedeelten hiervan, met inbegrip van alle illustraties en nummers is verboden. Het recht tot wijzigingen, evenals het recht om onderdelen uit productie te nemen is voorbehouden. Automerken en nummers zijn slechts voor verwijzingsdoeleinden gebruikt.

M8 UNIVERSAL Colliers M8 | Universal | Universeel

mm	Inch	Walker ref. no
25,0	1"	82301
28,0	1 1/8"	82302
32,0	1 1/4"	82303
35,0	1 3/8"	82304
38,0	1 1/2"	82305
40,0	1 5/8"	82348
41,5	1 5/8"	82306
43,0	1 11/16"	84285
44,5	1 3/4"	82307
48,0	1 7/8"	82308
50,8	2"	82309
52,0	2 1/16"	82394
54,0	2 1/8"	82310
57,0	2 1/4"	82311
60,0	2 3/8"	82312
65,0	2 1/2"	82313
66,5	2 5/8"	82314
70,0	2 3/4"	82315
73,0	2 7/8"	82316
76,0	3"	82317
80,0	3 1/8"	84286
83,0	3 1/4"	82337
89,0	3 1/2"	82334
92,0	3 5/8"	84287
95,0	3 3/4"	82335
102,0	4"	82336


Stock code: 24



M10 UNIVERSAL Colliers M10 | Universal | Universeel

mm	Inch	Walker ref. no
36,0	1 1/8"	82347
38,0	1 1/2"	82319
40,0	1 7/16"	80892
42,0	1 21/32"	82320
45,0	1 3/4"	82321
48,0	1 7/8"	82322
50,0	2	82346
52,0	2 1/16"	82325
54,0	2 1/8"	82326
58,0	2 3/32"	82328
60,0	2 3/8"	82350
62,0	2 1/8"	80893
65,0	2 1/2"	80339
70,0	2 3/4"	80493
76,0	3	80894
80,0	3 1/8"	80895
83,0	3 1/4"	80896
89,0	3 1/2"	80897
92,0	3 5/8"	80898
95,0	3 3/4"	80899
102,0	4	80903

Stock code: 24



CLAMPS

Colliers | Schellen | Klemmen


mm	Inch	Walker ref. no
25,0		80908
32,0		81902
35,0		81905
38,0		81908
41,5		81911
44,5		81914
48,0		81917
50,8		81920
54,0		81923
55,5		81971

Stock code: 24

The simple, effective way to connect exhaust component that may require additional retaining capabilities.

Application

- Connecting exhaust pipe and silencers.
- Due to its simple design, the clamp can also be fitted with an additional bracket and is then suitable for use as a retaining clamp.



LAP JOINT CLAMP

Aluminised; Band thick. 0,7 mm

A O.D. Ø TUBE ± 1.0 mm		B O.D. Ø TUBE ± 1.0 mm	
mm	Inch	mm	Walker ref. no
51	2"	55	61772
57	2¼"	62	61773
64	2½"	69	61774
70	2¾"	75	61775
76	3"	81	61776
89	3½"	94	61777
102	4"	107	61778
114	4½"	119	61779
127	5"	132	61780
152	6"	157	61781

Stock code: 24

LAP JOINT CLAMP

Stainless Steel; Band thick. 0,5 mm



A O.D. Ø TUBE ± 1.0 mm		B O.D. Ø TUBE ± 1.0 mm	
mm	Inch	mm	Walker ref. no
51	2"	55	61782
57	2¼"	62	61783
64	2½"	69	61784
70	2¾"	75	61785
76	3"	81	61786
89	3½"	94	61788
102	4"	107	61789
114	4½"	119	61790
127	5"	132	61791
152	6"	157	61792

Stock code: 24

The simple, effective way to connect exhaust tube and flexible tube.
Exclusive design ensures fast, easy and accurate installation.

Application

- Connecting tube and flexible pipe together.
- Connecting elbows and flexible pipe together.
- Connecting stack, tail pipes, elbows or connectors to rigid tube.



RECOMENDED TORQUE

Ft-lbs	Nm
45 to 60	60 to 80

VOLVO/RENAULT - CLAMP

mm	Walker ref. no
30-33	81829
35-38	81833
39-42	81821
44-45	81823
45-48	81817
48-51	81811
52-55	81813
54-55	81866
55-58	81815
61-62	81872
62-65	81835
90-94	81839
104-108	81841

Stock code: 24



The simple, effective way to connect exhaust component.
Exclusive design ensures fast, easy and accurate installation.

APPLICATION

Exhaust pipe clamps that securly and reliably connect pipes which fit into each other. The self adjusting design compensates for pipe connections that are subject to extreme thermal fluctuations and therefore are especially suitable for connecting exhaust pipes and silencers in automotive applications.

TECHNICAL FEATURES

1. One piece clamp band offers a uniform contact pressure on the pipe circumference, ensuring high sealing efficiency.
2. Self-adjusting design which compensates for temperature fluctuations.
3. Compact design means ease of assembly even in confined spaces.
4. Rounded band edges ensures tube protection and protection against injury.
5. Material W1 - Corrosion resistance in salt spray testing - min. 144h




VAG CLAMPS

Colliers | Schellen | Klemmen

mm	Walker ref. no
38,5	81980
41,5	81981
42,5	81982
44,5	80474
45,5	81983
46,7	81984
48,5	81985
49,5	81986
51,5	81987
52,3	81988
53,5	81989
54,5	81990
55,5	81991
58,5	80323
59,5	80249
62,5	80365
64,5	80259

Stock code: 24





CLAMPS

Colliers | Schellen | Klemmen



Ø A Clamping	Walker ref. no.		
mm	1/2	Ring	Ring + Gasket
44,6 - 48	82526		
48,5 - 50	82486		
53,5 - 55	82487	80909	
57,5 - 59	86019	80562	
61,5 - 63	86206	80732	
65,5 - 67	82501	80439	80739
68,5 - 70	82516	80438	80550
72,5 - 74	86170	80781	
77,5 - 79		80477	
79,5 - 81	86219	80464	
89,5 - 91		80910	

Stock code: 24



1/2 CLAMP



RING CLAMP



RING CLAMP w/ GASKET




SPECIAL BOLTS

Vis Spéciales | Spezial Schrauben | Speciale Bouten


	MA x B	C	D	
Make	mm	mm	mm	Walker ref. no
Honda	M8 x 69	20	8	83169
Suzuki	M10 x 75	23	10	83170

Stock code: 25



	MA x B	C	D	
Make	mm	mm	mm	Walker ref. no
Peugeot/Citroën	M7 x 80	31	7	83164
Citroën	M6 x 67	15	8.5	83180
Citroën	M6 x 71	15	8.5	83181
Citroën	M6 x 56	10	8.5	83196

Stock code: 25




SPECIAL BOLTS

Vis Spéciales | Spezial Schrauben | Speciale Bouten

	M A x B	C	D	
Make	mm	mm	mm	Walker ref. no
Opel Kadett	M10 x 73	18	12.5	83149
Opel	M10 x 57	20	13	83155
Ford	M10 x 70	20	15	83193
Opel Vectra	M8 x 62	20	10	83194

Stock code: 25




CONNECTION PIPES VAG TYPE*

ID A	B ±5		
mm	mm	Walker ref. no	VAG OE No.
36	95	80707	1.565.492
38	95	80708	8Z0.253.141
40	90	80710	1S0.253.141
40	125	80709	
43	90	80711	1.556.170
43	125	86142	191.253.141.A
45	95	80713	1H0.253.141.B
45	125	80712	1736.05
48	90	80715	6.158.964
48	125	80714	
50	90	86152	893.253.139
50	125	86150	191.253.141.F
52	90	80724	6.054.349
54	90	80716	
55	80	80190	1.048.509
55	95	80250	357.253.141.A
55	125	80138	1H0.253.141.A
58	90	80717	
60	90	80718	1K0.253.141.H
60	125	80719	893.253.139.C
65	80	80720	1K0.253.141.J
65	90	80722	1K0.253.141.P
65	125	80721	8L9.253.139.A
70	80	80723	18.30.7.560.780

Stock code: 27

*Aluminised



CONNECTION PIPES WITHOUT CLAMPS*


ID A	B	
mm	mm	Walker ref. no
35.5	110	82432
38.5	115	82477
41.5	110	82591
42**	160	86205
42.5	110	82480
44.5	90	82590
45	95	86132
45.5	135	82463
48.5	130	82546
50.5	125	82553
52	100	32016
52.5	125	82593
54.5	90	82466
60.5	125	82594
64	150	32041
76.7	190	32055

Stock code: 27

Thickness of the pipes 1.5mm

*Aluminised

** Connection pipe without slots.




CONNECTION PIPE AND U-CLAMPS M10*

ID A	B	
mm	mm	Walker ref. no
35.5	110	86035
38.5	115	86038
41.5	110	86041
42.5	110	86042
44.5	90	86044
45.5	135	86045
48.5	130	86048
50.5	125	86050
52.5	125	86052
54.5	90	86054
60.5	125	86060

Stock code: 27

*Aluminised




CONNECTION PIPE AND VAG CLAMPS*

ID A	B	
mm	mm	Walker ref. no
35.5	110	86135
38	115	86138
41.5	110	86141
44.5	90	86144
45.5	135	86145
48.5	130	86148
50	95	86130
55	90	86154
60	120	86160

Stock code: 27

*Aluminised




CONNECTION PIPE LENGTH 20 CM

Turbulures de Raccordement 20 cm | Rohrverlängerungen 20 cm | Verlengstukken 20 cm

Outer Diameter Diamètre Extérieur Aussendurchmesser Buitendiameter	Wall Thickness Épaisseur Wanddicke Wanddikte	
Ø OD A	B	
mm	mm	Walker ref. no
35	1.2	07155
38	1.2	07157
42	1.2	07159
43	1.2	07161
45	1.2	07163
48	1.5	07165
50.8	1.5	07167
54	1.5	07169
57	1.5	07171
60	1.5	07173


Stock code: 71



ALUMINISED 3-STEP REDUCTION PIPE

OD 1		OD 2	OD 3	Thickness	A	
mm	inch	mm	mm	mm	mm	Walker ref. no
50.8	2	48	41	1.5	160	32018
63.5	2 ½	57	50.8	1.5	200	32040
76.2	3	67	63.5	1.5	195	32048


Stock code: 61



ALUMINISED UNIVERSAL Y-PIPE

OD 1		OD 2	A	B	C	Thickness	
mm	inch	mm	mm	mm	mm	mm	Walker ref. no
63.5	2 ½	50.8	140	320	61.5	1.5	32043


Stock code: 61



ANGLE 30°

Ø O.D. - O.D.		Thickness	Total length	
mm	Inch	mm	mm	Walker ref. no
76	3	1,5	500	07039
89	3½	1,5	500	07040
101,5	4	2,0	500	07042
114	4½	2,0	500	07044


Stock code: 61




ANGLE 45°

Ø O.D. - O.D.		Thickness	Total length	
mm	Inch	mm	mm	Walker ref. no
32	1¼	1,5	250	07006
35	1⅜	1,5	260	07008
38	1½	1,5	270	07010
41*	1⅝	1,5	420	07012
44,5*	1¾	1,5	440	07014
47,5*	1⅞	1,5	460	07016
51**	2	1,5	480	07018
54	2⅛	1,5	500	07020
60	2⅜	1,5	400	07022


Stock code: 61



* TUBE OD REDUCTION




** TUBE OD EXPANSION



ANGLE 60°

Ø O.D. - O.D.		Thickness	Total length	
mm	Inch	mm	mm	Walker ref. no
76	3	1,5	600	07046
101,5	4	2,0	620	07050
114	4½	2,0	620	07052



Stock code: 61




ANGLE 90°

Ø O.D. - O.D.		Thickness	Total length	Walker ref. no
mm	Inch	mm	mm	
32	1¼	1,5	350	07005
35	1⅜	1,5	380	07007
38	1½	1,5	400	07009
41.5*	1⅝	1,5	420	07011
44.5*	1¾	1,5	440	07013
47.5*	1⅞	1,5	460	07015
51	2	1,5	480	07017
54	2⅛	1,5	510	07019
57*	2¼	1,5	540	07021
60	2⅜	1,5	650	07023
64	2½	1,5	600	07025
70	2¾	1,5	500	07027
76 / 76,5**	3	1,5	550	07029
89 / 90,5**	3½	1,5	550	07031
101,5	4	1,5	114	07033
114	4½	1,5	160	07065


Stock code: 61



* TUBE OD REDUCTION



** ONE SIDE OF TUBE HAS EXPANSION AND SLOTS




Slots 4x 90°

ANGLE 30°

Ø I.D.	Ø O.D.		Thickness	Total length	
mm	mm	Inch	mm	mm	Walker ref. no
51.3	50.8	2	1.5	265	32020
64	63.5	2 ½	1.5	270	32032
76.7	76.2	3	1.5	325	32049*

Stock code: 61

* 4 x Slot




ANGLE 45°

Ø I.D.	Ø O.D.		Thickness	Total length	
mm	mm	Inch	mm	mm	Walker ref. no
51.3	50.8	2	1.5	280	32021
64	63.5	2 ½	1.5	310	32033
76.7	76.2	3	1.5	370	32050*

Stock code: 61

* 4 x Slot




ANGLE 60°

Ø I.D.	Ø O.D.		Thickness	Total length	
mm	mm	Inch	mm	mm	Walker ref. no
51.3	50.8	2	1.5	300	32022
64	63.5	2 ½	1.5	335	32034
76.7	76.2	3	1.5	420	32051 *

Stock code: 61

* 4 x Slot




ANGLE 90°

Ø I.D.	Ø O.D.		Thickness	Total length	
mm	mm	Inch	mm	mm	Walker ref. no
51.3	50.8	2	1.5	375	32019
64	63.5	2 ½	1.5	410	32035
76.7	76.2	3	1.5	510	32052 *

Stock code: 61



* 4 x Slot



ALUMINISED OVER AXLE BEND

Ø ID	Ø OD		A	B	Thickness	Total length	Walker ref. no
mm	mm	inch	mm	mm	mm	mm	
51.3	50.8	2	655	187	1.5	845	32023
64	63.5	2½	894	168	1.5	1000	32039
76.7	76.2	3	885	183	1.5	1000	32053



Stock code: 61/62



ALUMINISED EXHAUST BENDS 90° FOR WELDING

Ø ID	Ø OD		Thickness	Total length	Walker ref. no
mm	mm	inch	mm	mm	
60.5	63.5	2½	1.5	95	32042
73.2	76.2	3	1.5	95	32054


Stock code: 61



ALUMINISED

Outer Diameter Diamètre Extérieur Aussendurchmesser Buitendiameter	Wall Thickness Epaisseur Wanddicke Wanddikte	
Ø A	B	
mm	mm	Walker ref. no
32	1.5	09770
35	1.5	09802
38	1.5	09887
40	1.5	09805
42	1.5	09889
45	1.5	09891
48	1.5	09809
50	2	09811
51	2	09778
51	1.5	09895
54	2	09812
54	1.5	09900
57	1.5	09780
60	1.5	09810
64	1.5	09782
70	1.5	09813
76	1.5	09784
80	2	09814
89	1.5	09785
102	2	09786
108	2	09787
114	2	09788


Stock code: 66



MILD STEEL

Outer Diameter Diamètre Extérieur Aussendurchmesser Buitendiameter	Wall Thickness Épaisseur Wanddicke Wanddikte	
Ø A	B	
mm	mm	Walker ref. no
25	1.5	09925
29	1.5	09929
32	1.5	09932
35	1.5	09935
38	1.5	09938
41	1.5	09941
44	1.5	09944
48	1.5	09948
51	1.5	09951
54	1.5	09954
57	1.5	09957
60	1.5	09960
64	1.5	09964
70	1.5	09970
76	1.5	09976
79	1.5	09981
89	1.5	09989
102	1.5	09991


Stock code: 66



FLEXIBLE TUBING: CIRCULAR PROFILE

Circular Interlock section with copper wire packing



- **Advantages:**
Offers better sealing/leakage characteristics for exhaust gases.
- **Disadvantages:**
Stiffer flex section, less flexibility to absorb vibrations and movement, due to the copper wire packing between the interlock sections.



GALVANISED

Ø ID A		B Length: 2000 mm
inch	mm	Walker ref. no
1"	25	09901
1 1/8"	29	09902
1 1/4"	32	09903
1 3/8"	35	09904
1 1/2"	38	09905
1 5/8"	41	09906
1 3/4"	44	09907
1 7/8"	48	09908
2"	51	09909
2 1/8"	54	09910
2 1/4"	57	09911
2 3/8"	60	09912
2 1/2"	64	09913
2 5/8"	67	09914
2 3/4"	70	09915
2 7/8"	73	09896
3"	76	09916
3 1/8"	79	09917
3 1/4"	83	09918
3 3/8"	86	09926
3 1/2"	89	09919
3 5/8"	92	09927
3 3/4"	95	09928
3 7/8"	98	09933
4"	102	09920
4 1/8"	105	09934
4 1/4"	108	09921
4 1/2"	114	09922
4 3/4"	121	09923
5"	127	09924
5 1/2"	140	09897
6"	152	09898

Stock code: 66



Temperature limit for
Galvanised Steel Circular: 230 °C




FLEXIBLE TUBING: POLYGONAL PROFILE

Polygonal Interlock section without copper wire packing

• **NOTE:**


Has a cosmetically better appearance compared to circular section tubing.



GALVANISED

Ø ID A		B Length: 1000 mm
inch	mm	Walker ref. no
1 1/16"	30	09820
1 3/8"	35	09821
1 1/2"	40	09822
1 11/16"	42	09823
1 3/4"	45	09824
1 7/8"	48	09825
2"	50	09826
2 3/4"	55	09827
2 3/8"	60	09828
2 1/2"	65	09829
2 3/4"	70	09830
3"	75	09839
3 3/8"	80	09832
3 3/8"	85	09833
3 1/2"	90	09840
3 15/16"	100	09841
4 3/4"	120	09836
4 15/16"	125	09837

Stock code: 63






Temperature limit for
Galvanised Steel Polygonal: 230 °C

FLEXIBLE TUBING: POLYGONAL PROFILE

GALVANISED

Ø ID A		B Length: 2000 mm
inch	mm	Walker ref. no
1 3/16"	30	10820
1 3/8"	35	10821
1 1/2"	40	10822
1 11/16"	42	10823
1 3/4"	45	10824
1 7/8"	48	10825
2"	50	10826
2 3/4"	55	10827
2 3/8"	60	10828
2 1/8"	65	10829
2 3/4"	70	10830
3"	75	10839
3 3/8"	80	10832
3 3/8"	85	10833
3 1/8"	90	10840
3 15/16"	100	10841
4 3/4"	120	10836
4 15/16"	125	10837

Stock code: 67




Temperature limit for
Galvanised Steel Polygonal: 230 °C

PIPE EXTENSIONS

Tubes d'Extension | Rohrverlängerungen | Verlengstukken

Outer Diameter Diamètre Extérieur Aussendurchmesser Buitendiameter	Wall Thickness Epaisseur Wanddicke Wanddikte	Length	
Ø OD A	C	B	
mm	mm	mm	Walker ref. no
28	1.2	500	80911
32	1.2	500	80913
35	1.2	500	07045
38	1.2	500	07047
42	1.2	500	07049
43	1.2	500	07051
45	1.2	500	07053
48	1.5	500	07055
51	1.5	500	07057
54	1.5	500	07058
57	1.5	500	07059
60	1.5	500	07060
63.5	1.5	500	32031
76	1.5	500	32046
51	1.5	1000	32015
63.5	1.5	1000	32030
76	1.5	1000	32045

Stock code: 66





REDUCING BUSHING

Raccords de Réduction | Rohrreduzierungen | Reduceerbussen

WITHOUT SLOTS

Ø OD A Outside	Ø ID B Inside	C Length	
mm	mm	mm	Walker ref. no
25	28	75	10692
28	32	75	10693
32	35.5	75	07105
35	38.5	75	07107
38	42	80	07109
41.5	45	80	07111
44.5	48	80	07113
47.5	50.5	80	07115
50	54.5	80	07117
54	58	80	07119
57	61	80	07121
60	64	80	07123
70	76	80	10694



Stock code: 71



WITH SLOTS

Ø OD A Outside	Ø ID B Inside	C Length	
mm	mm	mm	Walker ref. no
48	50.5	140	07108
50	48.5	140	07106
50	50.5	140	07104
50	54.5	140	07102



Stock code: 71



WITH SLOTS FROM BOTH SIDES

Ø OD A Inside	Ø ID B Inside	C Length	
mm	mm	mm	Walker ref. no
55	51	140	10711
61	57	140	10712
69	64	140	10713
81	76	140	10714

Stock code: 71




FLEX PIPES

Tubes Flexibles | Flexrohre | Flexibele Pijpen

Lining types


- **Interlock Lined** - this part is used down stream from cat and manifold in lower heat applications and suitable for most general applications.
- **Braid Lined** - this part is used higher heat applications, closer to the cat/manifold and where there are noise whistling problems two into one tube applications.
- **Non Lined** - this part is used when flex is very closed to the cat/manifold, high heat applications, severe noise, poor road conditions, problem vehicles.



FLEX WITH PIPES

ID A	Flex L	Total L		
mm	mm	mm	Quality	Walker ref. no
25.5	125	155	Interlock	04641
35.5	203	254	Braid	10399
42.5	158	272	Interlock	10396
45.5	165	272	Interlock	52134
45.5	210	322	Braid	08920
45.5	210	373	Interlock	13488
48.5	105	160	Braid	10407
48.5	210	245	Braid	08922
48.5	158	272	Interlock	10397
48.5	225	275	Braid	16365
48.5	210	410	Braid	01087
50.5	158	272	Braid	10382
50.5	208	322	Braid	10398
51.4	254	282	Braid	10409
51.4	180	430	Braid	12275
54.6	230	370	Braid	10412
57.8	160	203.2	Braid	10413
60.7	203.2	254	Braid	12272


Stock code: 61



FLEX 3-STEP PIPES - NON LINED

OD 1	OD 2	OD 3	Flex OD	Flex L	Total L		
mm	mm	mm	mm	mm	mm	Quality	Walker ref. no
45	48	55	74	183	403	Non Lined	08924


Stock code: 61



FLEX WITHOUT PIPES

ID A	Total L		
mm	mm	Quality	Walker ref. no
35.5	203.2	Braid	08925
38.5	152.4	Braid	08926
42.5	203.2	Braid	10402
45.5	90	Braid	10405
45.5	98	Interlock	05251
45.5	101.6	Braid	10400
45.5	130	Interlock	10383
45.5	152.4	Braid	10401
45.5	190	Braid	10406
45.5	192	Interlock	05249
45.5	230	Braid	10403
45.5	262	Braid	10404
48.5	208	Interlock	10384
50.5	95	Braid	10385
50.5	101.6	Interlock	07192
50.5	254	Braid	10387
50.5	282	Braid	10386
51.4	101.6	Interlock	08949
51.4	101.6	Braid	08934
51.4	152.4	Braid	10408
51.4	165	Braid	52133
51.4	188	Interlock	05320
51.4	203.2	Braid	10410
51.4	230	Braid	10411
51.4	254	Braid	08933
54.6	105	Interlock	10388
54.6	152.4	Braid	08939
54.6	190	Interlock	05321
54.6	203.2	Braid	08937
54.6	220	Braid	08940
54.6	254	Braid	08938
54.6	282	Braid	08941
55.6	101.6	Braid	08942
55.6	190	Interlock	10391
60.7	116	Interlock	10389
60.7	152.4	Braid	10414
60.7	305	Braid	08944
64.2	203.2	Braid	08945
64.2	254	Braid	08946
73	152.4	Interlock	10390
76.9	203.2	Braid	10415


Stock code: 61 & 71



FLEX WITH PIPES AND SLOTS - NON LINED



ID A	Flex OD	Flex L	Total L		
mm	mm	mm	mm	Quality	Walker ref. no
54	67	230	370	Non Lined	14052

Stock code: 61





INSULATOR BLOCKS



HEXAGONAL





CIRCULAR



CIRCULAR X2



RECTANGULAR



A	B	C	D		
mm	mm	Thread	mm	Type	Walker ref. no
51	25	M6	26	Hexa.	81229
60	24	M8	26	Hexa.	81230
65	27	M8	48.5	Hexa.	81245
64	27	M10	47	Hexa.	84054
77	32	3/16"	57	Circul. x2	84080
47	18	5/16"	34	Circul.	84166
57	21	M8	39	Circul.	84173
52	24	M8	50	Rectang.	81344

Stock code: 22

HOSE CLIPS STAINLESS STEEL


- The effective way for sealing applications under high mechanical loads.
- Exclusive design ensures fast, easy and accurate installation.

Screw size: 7mm.

Recommended tightening torque: 2÷5 Nm.



Ø ID A	B	C	
mm	mm	mm	Walker ref. no
8 - 16	9	0.7	64727
12 - 22	9	0.7	64728
16 - 27	9	0.7	64729
20 - 32	9	0.7	64730
25 - 40	9	0.7	64731
30 - 45	9	0.7	64732
32 - 50	9	0.7	64733
40 - 60	9	0.7	64734
50 - 70	9	0.7	64735
60 - 80	9	0.7	64736
70 - 90	9	0.7	64737
80 - 100	9	0.7	64738
90 - 110	9	0.7	64739
16 - 27	12	0.8	64740
20 - 32	12	0.8	64741
23 - 35	12	0.8	64742
25 - 40	12	0.8	64743
30 - 45	12	0.8	64744
35 - 50	12	0.8	64745
40 - 60	12	0.8	64746
50 - 70	12	0.8	64747
60 - 80	12	0.8	64748
70 - 90	12	0.8	64749
80 - 100	12	0.8	64750
90 - 110	12	0.8	64751
100 - 120	12	0.8	64752
110 - 130	12	0.8	64753
120 - 140	12	0.8	64754
130 - 150	12	0.8	64755
140 - 160	12	0.8	64756
150 - 170	12	0.8	64757
160 - 180	12	0.8	64758
170 - 190	12	0.8	64759

Stock code: 24





UNIVERSAL CATALYTIC CONVERTER ROUND



BOX ROLLED



BOX SHELL



BOX SHELL WITH FLATTENING FOR SOCKET





Inlet/ Outlet	Box length	Total length	Box Ø OD	Box Width	Thickness Tube	Type of box	Fuel	Max Engine size/ Vehicle weight	
Ø ID A	C	D	F	G	T				Walker ref. no
mm	mm	mm	mm	mm	mm				
45.5	104.6	318	112.4	-	1.5	Rolled	Petrol	2.0 / 2000kg	65200
50.5	101.6	315	112.4	-	1.5	Rolled	Petrol	2.0 / 2000kg	65201
47	152.4	380	113	133	1.5	Shell	Diesel	2.0 / 2000kg	66936
50.5	101.6	310	113	133	1.5	Shell + flattening	Petrol	2.0 / 2000kg	67990


Stock code: 91

UNIVERSAL CATALYTIC CONVERTER OVAL



TYPE 1 OF DESIGN



TYPE 2 OF DESIGN



TYPE 3 OF DESIGN



Ø ID A	Ø ID B	Box length	Total length	Box Height	Box Width	Thick. Tube	Type of box	Heatshield	Lambda Socket	Fuel	Max Engine size/ Vehicle weight	
mm	mm	mm	mm	mm	mm	mm						Walker ref. no
50.8	-	155	337	95	157	1.5	1	only lower	without	Petrol	3.0 / 2000kg	66923
57.1	-	155	337	95	157	1.5	1	only lower	without	Petrol	3.0 / 2000kg	66924
50.8	-	155	337	105	157	1.5	1	upper & lower	Socket & plug M18	Petrol	3.0 / 2000kg	66925
47	-	155	367	103	148	1.5	2	only lower	without	Petrol	1.8 / 2000kg	66940
50.5	-	155	387	103	148	1.5	2	only lower	Socket M18	Petrol	2.0 / 2000kg	65994
50.5	-	155	387	103	148	1.5	2	only lower	without	Petrol	2.0 / 2000kg	65995
55.5	-	155	387	103	148	1.5	2	only lower	without	Petrol	2.0 / 2000kg	65996
50.5	-	155	387	103	148	1.5	2	only lower	Socket M18	Petrol	2.0 / 2000kg	65997
50.5	-	155	387	103	148	1.5	2	only lower	without	Petrol	2.0 / 2000kg	65992
55.5	-	155	387	103	148	1.5	2	only lower	without	Petrol	2.0 / 2000kg	65993
47	-	155	393.5	106.5	179	1.5	2	only lower	without	Petrol	3.0 / 2000kg	66931
45.5	50.5	155	440	103	148	1.5	3	only lower	without	Petrol	2.0 / 2000kg	65990

Stock code: 91

MINI-CONVERTER

With the new Walker Mini-Converter you can reduce your car taxes* and at the same time help to protect the environment. The new Mini-Converter is installed as an addition to the original Converter. The highly precious metal coating allows to switch from Euro 1 to Euro 2 and for some cars even to D3.

The Mini-Converter package includes:



- Homologation Documents
- Mounting guidelines
- Request Form for car tax reduction

*Offer only valid in Germany

Ø ID A	Mini Converter Diesel
mm	Walker ref. no
50.5	69004
55.5	69005
60.5	69006

Ø ID A	Mini Converter Petrol
mm	Walker ref. no
42.5	69000
45.5	69001
50.5	69002
55.5	69003
60.5	69007




Stock code: 91



UNIVERSAL SILENCER ROUND

Inlet	Outlet		Box length	Total length	Box OD	Thickness Tube	
Ø ID A	Ø OD B		C	D	F	T	Walker ref. no
mm	mm	inch	mm	mm	mm	mm	
51.3	50.8	2	380	540	120	1.5	09736
60.5	60	2 ³ / ₈	380	540	120	1.5	09738

Stock code: 51




UNIVERSAL SILENCER ROUND WITH SLOTS

Inlet	Box length	Total length	Box OD	Thickness Tube	
Ø ID A	C	D	F	T	Walker ref. no
mm	mm	mm	mm	mm	
51.5	400	550	76	1.5	32105
51.5	400	560	102	1.5	32106
64	600	760	102	1.5	32116
64	250	380	123	1.5	32114
64	420	550	123	1.5	32115
76.7	250	380	123	1.5	32124
76.7	620	750	123	1.5	32125

Stock code: 61



* Silencers without EU homologation.



UNIVERSAL SILENCER OVAL

Inlet	Outlet		Box length	Total length	Box OD	Box Width	Thickness Tube	
Ø ID A	Ø OD B		C	D	F	G	T	
mm	mm	inch	mm	mm	mm	mm	mm	Walker ref. no
51.3	50.8	2	380	520	108	197	1.5	09737
60.5	60	2⅜	380	505	108	197	1.5	09739

Stock code: 51




UNIVERSAL SILENCER OVAL WITH SLOTS

Inlet	Box length	Total length	Box Height	Box Width	Thickness Tube	
Ø ID A	C	D	F	G	T	
mm	mm	mm	mm	mm	mm	Walker ref. no
51.5	320	450	102	147	1.5	32107
51.5	420	560	102	147	1.5	32108
64	320	450	118	178	1.5	32118
64	420	550	118	178	1.5	32117
64	500	625	130	200	1.5	32120
76.7	250	380	130	200	1.5	32127
76.7	500	650	130	200	1.5	32126 **

Stock code: 61

* Silencers without EU homologation.

** Center of outlet is offset from center of box about 38mm.



HIGH PERFORMANCE TURBO MUFFLERS



- Patented Flow Directors Channel Exhaust Flow for Maximum Power.
- 100% Aluminised Materials for Sharp Appearance and Long Life.
- Fiberglass Matting Delivers a Mellow, True Performance Sound.
- Reduces Backpressure for Increased Horsepower and Fuel Economy.
- Spun Locked Heads for Positive Seal to Resist Damage from Backfiring.
- Internal Drainage System Reduces Corrosion.
- Large Diameter Flow Tubes for High Volume Gas-flow Provide Low Backpressure.

*Silencers without EU homologation.

INLET CENTRAL

Inlet/Outlet		Box length	Total length	Box Height	Box Width	Thickness Tube	Walker ref. no
Ø ID A		C	D	F	G	T	
mm	inch	mm	mm	mm	mm	mm	
50.8	2	355	470	117	265	1.5	14881
57.1	2 ¼	355	470	117	265	1.5	14882
63.5	2 ½	355	470	117	265	1.5	14884



Stock code: 51



INLET SIDE



Inlet/Outlet		Box length	Total length	Box Height	Box Width	Distance Inlet	Thickness Tube	Walker ref. no
Ø ID A		C	D	F	G	H	T	
mm	inch	mm	mm	mm	mm	mm	mm	
57.1	2 ¼	355	470	265	117	75	1.5	14883
63.5	2 ½	355	470	265	117	75	1.5	14885

Stock code: 51





UNIVERSAL STAINLESS STEEL TAILPIPE ROUND



TYPE 1 WITH THREE BOLTS



TYPE 2 WITH TWO BOLTS AND FLATTENING



TYPE 3 WITH THREE BOLTS AND ADDITIONAL TUBE INSIDE



ID RANGE	OD	A	Thickness			
mm	mm	mm	mm	Type	For model	Walker ref. no
35 - 48	60	90	1.2	1	Suzuki/GM	10666
45 - 65	76	70	1.2	1	BMW/Mini	10682
42 - 50	70	90	1.2	2	Daihatsu/Toyota/Honda/Hyundai/MG	10664
35 - 40	55	140	1.2	3	Honda/Rover	07070


Stock code: 71

VW STAINLESS STEEL TAILPIPE ROUND WITH CHROMED EXTERNAL SURFACE

Outer Diameter
Diamètre Extérieur
Aussendurchmesser
Buitendiameter

Ø OD	A	Thickness		
mm	mm	mm	For model	Walker ref. no
35	250	outside 1.0 inside 1.5	VOLKSWAGEN 1302/1303/ Beetle/Beetle 1302/Beetle 1303/Käfer/ Kaver	04725


Stock code: 71



UNIVERSAL STAINLESS STEEL TAILPIPE


Ø ID	Ø OD	A	Thickness	Number of slots	
mm	mm	inch	mm		Walker ref. no
51.3	70	275	1.2	2	32081
64	76	275	1.2	4	32089

Stock code: 61




UNIVERSAL STAINLESS STEEL TAILPIPE ROUND WITH ANGLE


TYPE 1 WITH THREE BOLTS



TYPE 2 WITH TWO BOLTS



TYPE 3 WITH CLAMP



ID RANGE	OD	A	Thickness			
mm	mm	mm	mm	Type	For model	Walker ref. no
45 - 65	76	150	1.2	1	Volvo/Saab	10671
45 - 50	60	115	1.2	2	VW/Seat/Skoda/Audi/SAAB	10681
42 - 57	64	135	1.2	3	Toyota	10426



Stock code: 71

UNIVERSAL REPAIR COLLARS



Inside Diameter Diamètre intérieur Innendurchmesser Binnendiameter	Outer Diameter Diamètre Extérieur Aussendurchmesser Buitendiameter	Length		
Ø ID A	Ø OD B	C		
mm	mm	mm	Type of collar	Walker ref. no
48.5	68	80	Single	07621
50.5	66	95	Single	07187
50.5	66	220	Single	07186
50.5	70	80	Single	07624
53	69	85	Single	114767
54.5	70	120	Single	07620
60.5	78	120	Single	07622
48.5	71	100	Double	07623
54.5	73	100	Double	07631

Stock code: 61

SINGLE COLLAR



DOUBLE COLLAR





ASSORTMENT BOX

	Walker ref. no
All universal Repair Pipes + 3 Clamps (ID66; ID69; ID70)	08866

REPAIR FLANGE



Description	Package contains	Ø ID A	
		mm	Walker ref. no
Volvo 240; 740; 940 Used in CAT Converter 19185; 19186	3x Bolt M8 3x Nut M8 3x Gasket M8	58	80310
Volvo 740; 940 Used in CAT Converter 20079; 20419	3x Bolt M8 3x Nut M8 3x Gasket M8	60	80315

Stock code: 26



Description	Package contains	Walker ref. no
SAAB 900 Used in CAT Converter	3x Bolt M8 3x Nut M8 3x Gasket M8	80311

Stock code: 26





REPAIR FLANGE

ST 37-2 (S235JR / 1.0037)



Description	Walker ref. no
TOYOTA Carina E 1.6 Used in CAT Converter 20084	80391

Stock code: 26





Description	Walker ref. no
SAAB 9000 Used in CAT Converter 18362	80489

Stock code: 26



Description	Walker ref. no
Volvo 240; 740; 940 Used in CAT Converter 19186	82509

Stock code: 26






REPAIR FLANGE

Flange: ST 37-2 (S235JR / 1.0037)

Pipe: BHT (1.0309 + AS120)

		Ø OD A	HOLE SPACING B	
Description	Package Contains	mm	mm	Walker ref. no
TOYOTA Avenis/Carina E 1.8/2.0 Used in CAT Converter 20524	Pipe welded to Flange + Gasket	54	97	09965
TOYOTA Carina E 1.6 Used in CAT Converter 20084	Pipe welded to Flange + Gasket	48	93	09967



Stock code: 71



REPAIR HANGER



Description	Walker ref. no
Volvo 850; V70 I; S70; Used in Rear Silencer 18275	80301

Stock code: 23





Description	Walker ref. no
Volvo 850 Combi; V70 I; S70; Used in Rear Silencer	80313

Stock code: 23



Description	Walker ref. no
Volvo V70 II; S60; S80 Used in Intermediate Silencer	80352



Stock code: 23



REPAIR HANGER

Description	Walker ref. no
Volvo V70 II; S60; S80 Used in Rear Silencer	87596



Stock code: 23



UNIVERSAL HANGER



Description	Walker ref. no
Universal Hanger	81557

Stock code: 23





Description	Walker ref. no
Universal Hanger	81558

Stock code: 23



Description	Walker ref. no
Universal Hanger	81569

Stock code: 23





PSA BODY CLAMPS

PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80594	1726-NW, 1730-C5, 1726-ZH, 1730-45	Citroën C3 1.6l Peugeot 1007 1.6	22309

Stock code: 23

* Body Clamp fits only for original PSA silencer.

* WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.





PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80595	1726-VJ	CITROËN Xsara Picasso 1.6 HDi	22867
80595	1726-TY, 1726-EN	CITROËN Xsara Picasso 1.6i	22844
80595	1726-TX, 1726EP	CITROËN Xsara Picasso 2.0 HDi	72178

Stock code: 23

* Body Clamp fits only for original PSA silencer.

* WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.




PSA BODY CLAMPS

PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80596	1726-WT, 1726-KL, 1726-KX, 1726-RJ, 1726-WA, 1726-WS, 1726-WZ, 1730-26, 1730-50, 1730-H8	CITROËN C4 1.6 HDi / 2.0 HDi PEUGEOT 307 1.6 HDi / 2.0 HDi	71211
80596	1726-KW, 1726-LL, 1726-LN, 1726-RH, 1726-SN, 1726-TJ, 1726-WY, 1730-51, 1730-C1	PEUGEOT 307 2.0i/1.6 HDi/2.0 HDi	22622

Stock code: 23

*Body Clamp fits only for original PSA silencer.

*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.




PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80597	1726-NQ, 1726-XQ, 1726-ZP, 1730-J8	CITROËN C2, C3 1.4 HDi PEUGEOT 1007 1.4 HDi	22954

Stock code: 23

*Body Clamp fits only for original PSA silencer.

*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.





PSA BODY CLAMPS

PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80598	1726-AG, 1726-AH, 1726- N5, 1726-N6, 1726-N7, 1726-N8, 1726- QT, 1726-VC, 1726-W7, 1726-W8, 1726- KH, 1726-KY, 1730-N4, 1730P1, 1730- Q1, 1730-Q3	CITROËN Ber- lingo 1.1i/ 1.4i/ 1.6i/ 1.8i/ 1.9D PEUGEOT Partner 1.1i/ 1.4i/ 1.6i/ 1.8i/ 1.9D	21993
80598	1726-GN, 1726- KY, 1726-KZ	CITROËN Berlingo 2.0 HDi PEUGEOT Partner 2.0 HDi	22293

Stock code: 23

*Body Clamp fits only for original PSA silencer.

*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.




PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80605	1726-VF, 1726- KG, 1726-QV, 1726VG, 1726-YC, 1726-YE, 1730- 11, 1730-12, 1730-A4, 1730- A5, 1730-Q8	CITROËN Berlin- go 1.6i/ 1.6HDi/ 2.0HDi PEUGEOT Partner 1.6i/ 1.6HDi/ 2.0HDi	23289

Stock code: 23

*Body Clamp fits only for original PSA silencer.

*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.





PSA BODY CLAMPS

PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80606	1730-78, 1730-77	Peugeot 207 1.4l	23228
80606	1730-83	Peugeot 207 1.4l	23224
80606	1730-85	Peugeot 207 1.6l	23227
80606	1730-79	Peugeot 207 1.6l	23226
80606	1730-82	Peugeot 207 1.6Hdi	23223
80606	1730-AE, 1730-AA, 1730-94	Peugeot 207 1.6Hdi	23390
80606	1730-84	Peugeot 207 1.6Hdi	23225
80606	1730-93, 1730-80, 1730-AC	Peugeot 207 1.6Hdi	23391

Stock code: 23

*Body Clamp fits only for original PSA silencer.

*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.





PSA Clamp Walker ref. no	Fits for OE# Silencer	Model	Silencer Walker ref. no
80610	1726-VX, 1726-VN, 1726-PX, 1726-PY, 1726-VT	PEUGEOT 206 SW 1.6 / 2.0Hdi	22800
80610	1726-VY, 1726-NZ	PEUGEOT 206 SW 1.1i / 1.4i / 1.6i	22734

Stock code: 23

*Body Clamp fits only for original PSA silencer.



*WALKER provides Body Clamp as welding suspension with silencer. Silencer WALKER no. is listed for reference only.



LAMBDA SENSOR PLUG

Dimensions	Walker ref. no
M18 x 1.5mm DIN 908	83294

Stock code: 26





MAX TORQUE

40-55Nm

LAMBDA SENSOR PLUG



Dimensions	Walker ref. no
M14 x 1.5mm	80877

Stock code: 25



LAMBDA SENSOR NIPPLE

Dimensions	Walker ref. no
M18 x 1.5mm	80433
Stock code: 26	




PIPE-END SHAPER

Description	Walker ref. no
Pipe-end Shaper	82076

Stock code: 28

Conical and cylindrycal expansion cones can be used to repair exhaust, tubing or pipe work ends that may have been damaged from external impact during transport.

The expansion tooling can be conical or cylindrical in shape.





Tenneco Customer services

Customer Service

all regions except: France, Spain, UK
 T +32 11 703 164 North and West Europe
 T +32 11 703 335 South and East Europe
 F +32 11 703 310

Customer Service France

T +33 (0)970 80 96 85
 F +33 (0)2 43 66 64 58
 F +33 (0)2 43 66 64 59

Customer Service Southern Africa

Orders: +27 (0)41 401 7352
 Technical: +27 (0)11 574 5603

Customer Service Spain/Portugal

T +34 902 197 300
 F +34 916 710 800

Customer Service UK/Ireland

T +44 (0)121 609 3000
 F +44 (0)121 609 3037
 salesUK@tenneco.com

Tenneco Aftermarket offices

Tenneco Europe - Tenneco Benelux

Avenue du Bourgetlaan 50
 1130 Brussels, Belgium

Tenneco CEE South

Prekratova 39
 10020 Zagreb, Croatia

Tenneco Czech Republic

Rychnovska 383
 463 42 Hodkovice nad Mohelkou
 Czech Republic

Tenneco Denmark

Sjællandsvej 2
 5500 Middelfart, Denmark

Tenneco France

ZA des Giraumeries
 BP4149 Route d'Ahuillé
 53941 Saint-Berthevin cedex

Tenneco Germany

Luitpoldstrasse 83
 67480 Edenkoben, Deutschland

Tenneco Iberica

Camino Polio, S/N,
 46469 Beniparrell, Spain

Tenneco Italy

Via W. Tobagi, 13
 20068 Peschiera Borromeo
 (Milano) Italia

Tenneco Middle East, Africa

Avenue du Bourgetlaan 50
 1130 Brussels, Belgium

Tenneco Poland & CEE

ul. Przemysłowa 2C
 44203 Rybnik, Poland

Tenneco Portugal

Parque Industrial da Autoeuropa
 2950-403 Palmela, Portugal

Tenneco South Africa

Block B, 2nd Floor, Pellmeadow Office Park,
 60 Civin Drive, Essexwold, Bedfordview
 2007 Johannesburg, South Africa

Tenneco Sweden & Baltics

Stationsgatan 2
 341 60 Ljungby, Sweden

Tenneco Turkey

Çavuşoğlu Mah. Spor Cad.
 No: 86 34873 Kartal - İstanbul, Türkiye

Tenneco UK

Wharfedale Road
 Birmingham B11 2DF, England
 T +44 (0)121 609 3000
 F +44 (0)121 609 3037

Tenneco Ukraine (Russia and CIS)

Desnyanska 19, office 4
 03035, Kyiv, Ukraine

Tenneco Original Equipment - Clean Air Plants Worldwide

NORTH AMERICA

Aguaascalientes, Mexico
 Elkhart, Indiana
 Ligonier, Indiana
 Litchfield, Michigan
 Marshall, Michigan
 Kansas City, Missouri*
 Lincoln, Nebraska
 Seward, Nebraska
 Smithville, Tennessee
 San Antonio, Texas*
 Harrisonburg, Virginia
 Cambridge, Ontario, Canada
 Puebla, Mexico

SOUTH AMERICA

Buenos Aires, Argentina
 Mogi Mirim, Brazil

EUROPE

Gent, Belgium*
 Hodkovice, Czech Republic
 Etain, France
 Iwuy, France*
 Rennes, France*
 St. Berthevin, France
 Edenkoben, Germany
 Ingolstadt, Germany*
 Saarlouis, Germany*

Zwickau, Germany
 Poznan, Poland*
 Rybnik, Poland
 Palmela, Portugal*
 St. Petersburg, Russia
 Togliatti, Russia
 Valencia, Spain
 Arendal, Sweden*
 Tredegar, UK
 Port Elizabeth, South Africa

ASIA

Beijing, China*
 Changchun, China*
 Chongqing, China
 Dalian, China (2)
 Kunshan, China
 Liuzhou, China*
 Nanchang, China*
 Shanghai, China
 Shenyang, China*
 Wuhu, China*
 Chennai, India
 Halol, India*
 Pune, India

Osaka, Japan
 Siheung, Korea
 Bangkok, Thailand

**AUSTRALIA/
 NEW ZEALAND**
 Adelaide, Australia
 Elizabeth, Australia*

★ Just in Time Plant



www.walkercatalogue.eu



TENNECO
www.walker-eu.com